



MOTORIZED DOLLY

FLOOR CAMS

Floor Cams is a MD [Modular Digital] Dolly on tracks, it is equipped w remote head 2 or 3 axes; any type of camera and lens.



Like any equipment Cams MD 2 axis, it is completely modular and compatible with all our products.

The tracks can be straight or curved, there has radius from 3 to 20 m with 50 cm width. Floor Cams can be controlled by Easy Cams Pan/Bar, console w joystick, wheels and pedal control. Also it can be controlled by a software which memorise its movements and repeat it.

DATASHEET

Payload Max	25 kg
Lens height	without telescopic lift 50 cm with telescopic lift 100 to 170 cm height max w euro mount: 70 cm
Max speed	Dolly: 1,7 m/s Pan/Tilt: 280°/s
Tracks measures [WxL]	Straight: 50 x 50 / 90 / 190 / 290 cm
Radius of curves	3 to 20 m Customizable on request
Movements	Automatic or programmable Acceleration / Deceleration
Operator control unit	Pan/Bar Console Joystick Wheels Pedals Recall position system [Optional]
Power supply	220-15VAC
Max distance wireless Easy Cams	20 m
Safety system	Slowing magnets Braking magnets Mechanical limit w decelerator Emergency stop

FLOOR CAMS



Unit of measure - millimetres [mm]